

This product information leaflet provides information about SUNCHLON. Before you use SUNCHLON, please read all of it carefully, as it contains important information. Keep this information leaflet for future reference.

The active ingredient in this product is a 100% abstract of fresh Kumazasa leaves.

SUNCHLON

OTC Level 3 grade drug

Recommended for halitosis (breath odor), bromhidrosis (body odor), lethargy (tiredness), poor appetite, oral ulcers, periodontitis (gum inflammation).

About the product

- SUNCHLON is derived from a native bamboo species(Kumazasa -Scientific name: Sasa senanensis Rehd) plant that grows wild in the upper regions of the mountains of Shinshu, Japan. Awater-soluble solution is extracted from the cellular membrane breakdown of the resin and lignincontained within the plant leaf.
- The sub-cellular components of the Kumazasa leaves are extracted daily from local freshly picked leaves ata factory site in Ueda City, Nagano Prefecture. This is the only factory of its kind.
- The Kumazasa plant has traditionally been used in a variety of applications, for example as a sterilizer, deodorant, and moisturizer etc. It has long been used in the preservation of food and as a folk medication. SUNCHLON is focused upon the pharmacological effect of the Kamazasa plant.

Drug Description

At room temperature SUNCHLON has an aroma and is slightly bitter and astringent or puckery to taste. Its appearance in liquid form is a deep green. Its constituents and presentation are as follows.

Copper Chlorophyll Nitrium	0.23 – 0.27%
Specific gravity	1.020 – 1.024
pH	7.3 – 7.4

Principle Applications

Lethargy (tiredness), poor appetite, halitosis (breath odor), bromhidrosis (body odor), oral ulcers, periodontitis (gum inflammation)

How to use

1. 2-3 ml per dose. (Children half dose) Dilute in cold water, tea or milk. Take several times a day. Depending on the symptoms a double dose may be considered. (We recommend taking SUNCHLON with Calcium Supplements due to a synergistic effect, wherein the absorption of calcium is raised.)
2. It is safe to be taken with any medications.
3. We recommend taking SUNCHLON between meals.

Guidelines for use.

1. Before use discuss with your Doctor, Dentist or Chemist whilst undertaking treatment.
2. Whilst taking please use only as prescribed in these guidelines.
3. Whilst taking or following treatment stop using at once if you observe any of these side effects: skin rash, decrease of appetite, vomiting, diarrhea, upset stomach, or constipation. Consult with your health provider using these guidelines of use.

Storage and Medication Management

1. Store protected from light.
2. Store out of reach of children.
3. Seasonal changes may be observed with this product due to use in raw materials of fresh Kumazasa leaves, including slight changes in taste and aroma, however these changes do not change efficacy.
4. Please do not use beyond expiry date.
5. Please keep the lid tightly shut after use (in order to prevent oxidation of the product).
6. Please note the date when bottle is first opened at the space provided on the label
7. Once the product has been opened please keep stored in the fridge or a dark, cold storage area and use within two months of opening.

Presentations Available

120ml x 1 bottle 120 ml x 3 bottles 120ml x 6 bottles

If you have questions about this product, please contact the place of purchase or the company as detailed below;

Business Office **SUNCHLON Co.**

884 Mitakedou Ueda-shi Nagano JAPAN 〒386-0412

Tel: 81+(0)268-42-2585

Fax: 81+(0)268-42-7058

E-mail: uedaf@sunchlon.co.jp

Trading hours: 9:00~16:00 (Except Saturday, Sunday, holidays)